

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
-----	------------	------------------	--------------------	-------------------------	-------------------------------	-------------	---------	------

Subject Record (MARC21 format)

Record Leader

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
	Leader	N						
0-4	Logical Record Length				N	Length of the record.	01890	Total number of characters in the record; including the record terminator character.
5	Record Status				N	An alphabetical code indicating if the record is new (n), corrected/revised (c), or deleted (d).	n	
6	Type of Record				N	Type of record (z indicates "authority")	z	
7-8	undefined				N		[spaces]	
9	Character Coding Scheme				N	Whether the MARC-8 or Unicode character set is used. Space indicates MARC-8.	[space]	
10	Indicator Count				N	Number of character positions used for indicators at the beginning of variable fields.	2	
11	Subfield Code Length				N	Number of character positions used for each subfield code in a variable data field.	2	
12-16	Base Address of Data				N	Offset of the first Control or Data Field in the record	00337	
17	Encoding Level				N	A one-character code that indicates whether the record is complete.	n	
18-19	undefined				N		[spaces]	
20	Length of Field Length				N	Length of the length-of-field portion of Directory entries.	4	
21	Starting Character Length				N	Length of the starting-character-position portion of Directory entries.	5	
22	Implementation Position				N	Length of the implementation-defined portion of Directory entries.	0	
23	undefined				N		0	

n = Complete authority record; the record meets national level record requirements.

Record Directory

	Directory Entry	Y						Directory begins at position 24, and subsequent positions are counted from there. This set of fields repeats.
--	-----------------	---	--	--	--	--	--	---

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			0-2	tag	N	Three-digit number that identifies a control or variable field.	1	
			3-6	field length	N	Number of characters in the field.	6	
			7-11	starting character position	N	The character position of the first character of the field relative to the Base Address of Data in bytes 12-16 of the Leader.	0	
Control Fields								
001	Subject ID	N				A numeric code that uniquely identifies each entity in the Getty system.	500000063	
008	Fixed Fields	N					040630990729nf annnnaabn a a a c	
			0-5	Date Entered on File	N	The date the record was generated by our output program [yymmdd].	040630	
			6	Direct or Indirect Geographic Subdivision	N	What kind of geographical subdivisions a heading may have.	[space]	[space] = Not subdivided geographically
			7	Romanization Scheme	N	Standard used for romanization of the 1xx field.		= No attempt to code.
			8	Language of Catalog	N	Whether the 1xx heading is valid according to rules for specific languages	[space]	[space] = no information provided.
			9	Kind of Record	N	Whether the 1xx heading is established	a	a = established heading e = AAT Guide Term
			10	Descriptive Cataloging Rules	N	Rules for descriptive cataloging used to make the record.		= no attempt to code
			11	Subject Heading System	N	Indicates the conventions used to formulate the 1xx field.	z	r = AAT z = other system
			12	Type of Series	N	Type of series heading in 1xx field.	n	n = not applicable.
			13	Numbered or Unnumbered Series	N	Numbering characteristics of the 1xx field.	n	n = not applicable.
			14	Heading Use -- Main or Added Entry	N	Indicates if the heading is appropriate as a main or added entry.		= no attempt to code
			15	Heading Use -- Subject Added Entry	N	Indicates if the heading is appropriate as a subject added entry.		= no attempt to code
			16	Heading Use -- Series Added Entry	N	Indicates if the heading is appropriate as a series added entry.		= no attempt to code

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			17	Type of Subject Subdivision	N	Type of subject subdivision in the 1xx field.		= no attempt to code
			18	Record Type	N		p	ULAN: p = person, c = corporate body TGN: a = administrative, p = physical, b = both AAT: c = concept, f = facet, g - guide term, h = hierarchy name m = merged, [space] = not merged
			19	Merged Status	N	Whether the record is the result of a merge	m	
			20-23	Sort Order	N	The sort order of this entity under its parent entity	0001	Used to generate a canonical sequence among siblings. If the Sort Orders for all siblings are 0001, they should be sorted alphabetically.
			24-27	undefined	N		[spaces]	
			28	Type of Government Agency	N	Whether the 1xx heading represents a government agency.		= no attempt to code
			29	Reference Evaluation	N	Whether the 4xx/5xx tracings have been evaluated for consistency with the rules used to formulate the 1xx heading	b	b = tracings are not necessarily consistent
			30	undefined	N		[space]	
			31	Record Update in Process	N	Whether a change to the record is being considered	a	a = record can be used.
			32	Undifferentiated Personal Name	N	Whether the 1xx heading is a unique name.	n	n = not applicable = no attempt to code
			33	Level of Establishment	N	Indicates the extent to which the 1xx heading conforms to the rules indicated in 008/10-11.	a	a = fully established.
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other

Data Fields

035	Legacy ID	N
-----	-----------	---

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			z	Legacy ID	N		(CMAIG-V)16097	The unique ID of the entity in the previous edition, preceded by the organization code for the Getty Vocabulary Program.
040	Cataloging Source	N	a	Original Cataloging Agency	N		CMAIG-V	
			c	Transcribing Agency	N		CMAIG-V	
072	Subject Category Code	N	a	Facet	N	The facet to which the AAT entity belongs		AAT only
			x	Special Project	N	The record was added through a special project of the Getty Vocabulary Program.		For AAT, this may be a Special Thesaurus
			2	Code Source	N		CMAIG-V	
1xx	Preferred Name	N	a	Term Text	N	The preferred term for the entity followed by a disambiguating phrase in parentheses	Remenick, Seymour (American artist, 1923-)	100 or 110 for ULAN, 150 for AAT, 151 for TGN. For ULAN the disambiguating phrase is a biographical phrase; for TGN the entity's ancestors and placetype; for AAT the entity's ancestors.
			I (eye)	Term ID	N	The unique ID of the term in the Getty system	1500000230	
			C	Coordinates	N			TGN only
			T	Term Type	N		N/A	
			G	Display Name	N		Index	
			H	Historic Flag	N		N/A	
			D	Display Date	N			
			S	Start Date	N			
			E	End Date	N			
			V	Vernacular	N		Vernacular	
			L	Preferred Language	Y		70051/English; Descriptor; ; Adjectival; Loan Term	Language code and name are followed by the Term_Type, Qualifier, Part of Speech, and Language Status. These elements are separated by semicolon-space.
			M	Non-Preferred Language	Y		The Qualifier element is empty in this example	
			A	AACR2 Flag	N		N/A	
			O (oh)	Other Flags	N		N/A	
			8	Display Order	N		500000063.1	The example shows that this entity is the first in the set of children of 500000063
360	Alternate Term	Y		Subfields the same as for 1xx, except that the ‡a subfield does not include a disambiguating phrase				AAT only
4xx	Variant Term	Y		Subfields the same as for 1xx, except that the ‡a subfield does not include a disambiguating phrase				
5xx	Related Term	Y						If ‡w = g, Indicator 1: 1 = preferred, 0 = non-preferred, indicator 2 blank. if ‡w = n, both indicators blank

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			w	Class of Relationship	N	Describes the type of relationship between the 1xx and 5xx entities	n	g = parent relationship n = other relationship
			W	Type of Relationship	N		student of	
			a	Related Term	N		Righini, Pietro	
			0 (zero)	Related Subject ID	N		500033036	Subject ID of the related entity.
			H	Historic Flag	N		Historic	
			D	Display Date	N		1733-1736	
			S	Start Date	N		1733	
			E	End Date	N		1736	
			N	Note	N			For ‡w = n only
670	Sources	Y						Indicator 1: 1 = source for Subject (entity), 2 = source for Term, 3 = source for Descriptive Note (678 or 680 field)
			a	Source ID	N	Source where data was found	2100041061/Witt Checklist of Painters c. 1200-1976 (1978)	If Indicator 1 = 2, then Indicator 2: 1 = preferred, 0 = non-preferred, 2 = alternate preferred, [space] = unknown Source ID includes the brief citation
			P	Page	N	Page reference	p. 143-150	
			b	Term	N	The Term to which the Source applies		For Indicator 1 = 2 only
678	Descriptive Note	N						TGN and ULAN only
			i	Note Text	N	Text of the Descriptive Note	Painter best known for his bird's-eye view landscapes	
			C	Contributor ID	N	ID of the contributing organization	2500000013/VP	Contributor ID includes the brief name of the contributor
			L	Language of Note	N	Language the Note is written in	English	
680	Descriptive Note					Subfields the same as for 678		AAT only
901	Placetype or Role	Y						Called Placetype for TGN, Role for ULAN, not used for AAT
								Indicator 1: 1 = preferred, 0 = non-preferred
			a	Placetype or Role ID	N		51223/fortification	
			H	Historic Flag	N			
			D	Display Date	N			
			S	Start Date	N			
			E	End Date	N			
			8	Display Order	N		500000063.1	The example shows that this entity is the first in the set of children of 500000063
903	Coordinates	Y						TGN only
								Indicator 1: [space] = standard coordinates, 1 = least, 2 = most

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			a	Latitude	N		42 50	
			b	Latitude Direction	N		North	
			c	Longitude	N		012 50	
			d	Longitude Direction	N		East	
			e	Latitude Decimal	N		42.8333	
			f	Longitude Decimal	N		12.8333	
			g	Elevation Feet	N		660	
			h	Elevation Meters	N		200	
905	Hierarchy	N			Y		‡aWorld‡bEurope‡cItalia‡dToscana	Each ancestor is given its own subfield in sequence beginning with ‡a
910	Contributor	Y			Y	Organizations that contributed to the data in the record		Indicator 1: 1 = subject contributor, 2 = term contributor If Indicator 1 = 2, then Indicator 2: 1 = preferred, 0 = non-preferred, 2 = alternate preferred, [space] = unknown Contributor ID includes the brief name of the contributor Present only if Indicator 1 = 2
			a		N	Contributor ID	2500000013/VP	
			t		N	Term Contributed		
915	Biography	Y						ULAN only Indicator 1: 1 = preferred, 0 = non-preferred
			a	Biography Text	N		American artist, 1923-	
			l (eye)	Biography ID	N		4000000174	
			b	Birth Date	N		1923	
			c	Birth Place	N			
			f	Death Date	N		2023	
			g	Death Place	N			
			k	Sex	N		Male	
			m	Contributor	N		WCP	
920	Event	Y						ULAN only Indicator 1: 1 = preferred, 0 = non-preferred Event ID includes the name of the event
			a	Event ID	N		12002/active	
			D	Display Date	N		1737-1762	
			S	Start Date	N		1737	
			E	End Date	N		1762	
			p	Place	N		42433900002/Naples (Napoli province, Campania, Italy)	
			8	Display Order	N		500000722.1	
925	Nationality	Y						ULAN only Indicator 1: 1 = preferred, 0 = non-preferred

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			a	Nationality Code			902300/Italian	Nationality Code includes the name of the nationality
			8	Display Order			500000722.1	
929	Revision	Y						
			a	Action	N		added	
			l (eye)	Revision ID	N		5500001999	
			b	Aspect	N		Associative Relationships	
			d	Date and Time	N		2002-02-24 12:24:33	
			n	Note	N		Re, Vincenzo del (500000722) 'student of' Righini, Pietro (500033036)	
			u	User Name	N		JSMITH	

Contributor Record (MARC21 format)

Record Leader

Leader	N			Same as for Subject Record except for byte 17				
		17	Encoding Level	N	A one-character code that indicates whether the record is complete.	o		o = Incomplete. Does not meet national level requirements

Record Directory

Directory Entry	Y			Same as for Subject Record				
-----------------	---	--	--	----------------------------	--	--	--	--

Control Fields

001	Contributor ID	N						
008	Fixed Fields	N					040630 a znn n ana d	
			0-5	Date Entered on File	N	The date the record was generated by our output program [yymmdd].	040630	
			6	Direct or Indirect Geographic Subdivision	N	What kind of geographical subdivisions a heading may have.	[space]	[space] = Not subdivided geographically
			7	Romanization Scheme	N	Standard used for romanization of the 1xx field.		= No attempt to code.
			8	Language of Catalog	N	Whether the 1xx heading is valid according to rules for specific languages	[space]	[space] = no information provided.
			9	Kind of Record	N	Whether the 1xx heading is established	a	a = established heading e = AAT Guide Term
			10	Descriptive Cataloging Rules	N	Rules for descriptive cataloging used to make the record.		= no attempt to code
			11	Subject Heading System	N	Indicates the conventions used to formulate the 1xx field.	z	z = other system

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
			12	Type of Series	N	Type of series heading in 1xx field.	n	n = not applicable.
			13	Numbered or Unnumbered Series	N	Numbering characteristics of the 1xx field.	n	n = not applicable.
			14	Heading Use -- Main or Added Entry	N	Indicates if the heading is appropriate as a main or added entry.		= no attempt to code
			15	Heading Use -- Subject Added Entry	N	Indicates if the heading is appropriate as a subject added entry.		= no attempt to code
			16	Heading Use -- Series Added Entry	N	Indicates if the heading is appropriate as a series added entry.		= no attempt to code
			17	Type of Subject Subdivision	N	Type of subject subdivision in the 1xx field.		= no attempt to code
			18-27	undefined	N		[spaces]	
			28	Type of Government Agency	N	Whether the 1xx heading represents a government agency.		= no attempt to code
			29	Reference Evaluation	N	Whether the 4xx/5xx tracings have been evaluated for consistency with the rules used to formulate the 1xx heading	n	n = not applicable
			30	undefined	N		[space]	
			31	Record Update in Process	N	Whether a change to the record is being considered	a	a = record can be used.
			32	Undifferentiated Personal Name	N	Whether the 1xx heading is a unique name.	n	n = not applicable
			33	Level of Establishment	N	Indicates the extent to which the 1xx heading conforms to the rules indicated in 008/10-11.	a	a = fully established.
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other
			34-37	undefined	N		[spaces]	
			38	Modified Record	N	Whether the record has been shortened or has characters missing	[space]	[space] = not modified
			39	Cataloging Source	N	Indicates the creator of the record.	d	d = other

Data Fields

040	Cataloging Source	N				Same as for Subject Record		
-----	-------------------	---	--	--	--	----------------------------	--	--

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
110	Contributor	N						
			a	Full Name	N			
			g	Brief Name	N			

Event Record (MARC21 format)

Record Leader

Leader N Same as for Contributor Record

Record Directory

Directory Entry Y Same as for Subject Record

Control Fields

001 Event ID N
008 Fixed Fields N Same as for Contributor Record

Data Fields

040 Cataloging Source N Same as for Subject Record
150 Event N
a Event Name N

Language Record (MARC21 format)

Record Leader

Leader N Same as for Contributor Record

Record Directory

Directory Entry Y Same as for Subject Record

Control Fields

001 Language ID N
008 Fixed Fields N Same as for Contributor Record

Data Fields

040 Cataloging Source N Same as for Subject Record
150 Language N
a Language Name N

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
-----	------------	------------------	--------------------	-------------------------	-------------------------------	-------------	---------	------

Merge Record (MARC21 format)

Record Leader

Leader	N				Same as for Contributor Record
--------	---	--	--	--	--------------------------------

Record Directory

Directory Entry	Y				Same as for Subject Record
-----------------	---	--	--	--	----------------------------

Control Fields

001	Subject ID	N			
008	Fixed Fields	N			Same as for Contributor Record

Data Fields

035	Merge History	N			
			N	New Subject ID	N
			D	Dominant Subject ID	N
040	Cataloging Source	N			Same as for Subject Record

Nationality Record (MARC21 format)

Record Leader

Leader	N				Same as for Contributor Record
--------	---	--	--	--	--------------------------------

Record Directory

Directory Entry	Y				Same as for Subject Record
-----------------	---	--	--	--	----------------------------

Control Fields

001	Nationality Code	N			
008	Fixed Fields	N			Same as for Contributor Record

Data Fields

040	Cataloging Source	N			Same as for Subject Record
151	Nationality	N	a	Nationality Name	N

Place Record (MARC21 format)

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
Record Leader								
	Leader	N				Same as for Contributor Record		
Record Directory								
	Directory Entry	Y				Same as for Subject Record		
Control Fields								
001	Place ID	N						
008	Fixed Fields	N				Same as for Contributor Record		
Data Fields								
040	Cataloging Source	N				Same as for Subject Record		
151	Place	N	a	Place Name	N			

Placetype Record (MARC21 format)

Record Leader								
	Leader	N				Same as for Contributor Record		
Record Directory								
	Directory Entry	Y				Same as for Subject Record		
Control Fields								
001	Placetype ID	N						
008	Fixed Fields	N				Same as for Contributor Record		
Data Fields								
35	TGN ID	N	a	TGN ID	N			
040	Cataloging Source	N				Same as for Subject Record		
150	Placetype	N	a	Placetype name	N			

Role Record (MARC21 format)

Record Leader								
	Leader	N				Same as for Contributor Record		

TAG	FIELD NAME	FIELD REPEATABLE	SUBFIELD OR OFFSET	SUBFIELD OR OFFSET NAME	SUBFIELD OR OFFSET REPEATABLE	DESCRIPTION	EXAMPLE	NOTE
Record Directory								
	Directory Entry	Y				Same as for Subject Record		
Control Fields								
001	Role ID	N						
008	Fixed Fields	N				Same as for Contributor Record		
Data Fields								
040	Cataloging Source	N				Same as for Subject Record		
150	Role	N	a	Role Name	N			

Source Record (MARC21 format)

Record Leader								
	Leader	N				Same as for Contributor Record		
Record Directory								
	Directory Entry	Y				Same as for Subject Record		
Control Fields								
001	Source ID	N						
008	Fixed Fields	N	19	Merged Status	N	Same as for Contributor Record except byte 19 Whether the record is the result of a merge	m	m = merged, [space] = not merged
Data Fields								
040	Cataloging Source	N				Same as for Subject Record		
245	Source	N	a	Brief Citation	N			
			B	Full Citation	N			
			N	Note	N			
929	Revision	Y				Same as for Subject Record		